



ENVKEM INDUSTRIAL SOLUTIONS

An ISO 9001:2008 Certified Company



MSDS FOR CITRIC ACID

REF: EIS/RMC/MSDS/011-0

Section 1 - Chemical Product and Company Identification

PRODUCT Name : Citric acid

PRODUCT / Part No : ENVKEM-611

CHEMICAL FORMULA: $C_6H_8O_7 \cdot 14(H_2O)$

CAS NO : 77-92-9

Suppliers Details : ENVKEM INDUSTRIAL SOLUTIONS
No.9, Rajaji Street, Ramakrishna Nagar,
Valasaravakkam, Chennai – 600 087.
Telephone: 044 24863868, Telefax: 044 24865956.
E.Mail: sk@envkem.com. www.envkem.in.

Section 2 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent	EINECS/ELINCS
77-92-9	Citric acid	100	201-069-1

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Appearance: white crystalline powder.

Danger! Causes severe eye irritation and possible injury. Causes skin and respiratory tract irritation.

Target Organs: Respiratory system, eyes, skin.

Potential Health Effects

Eye: Causes severe eye irritation and possible injury.

Skin: Causes skin irritation. Some references state that citric acid has allergenic properties but, no animal or human studies were found to support this claim. It does not seem likely that citric acid is a sensitizer since it is found in the body as an essential component of the citric acid cycle which releases energy for physiological functions. Citric

No.9, Rajaji Street, Ramakrishna Nagar,
Valasaravakkam, Chennai – 600 087.
Telephone: 044 24863868, Telefax: 044 24865956.
E.Mail: sk@envkem.com. www.envkem.com.

...think → innovate → execute



ENVKEM INDUSTRIAL SOLUTIONS

An ISO 9001:2008 Certified Company



acid is widely distributed in plants and in animal tissues and fluids.

Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

Excessive intake of citric acid may cause erosion of the teeth.

Inhalation: Causes respiratory tract irritation.

Chronic: Repeated exposure may cause erosion of teeth. Chronic exposure may cause effects similar to those of acute exposure.

Section 4 - First Aid Measures

Eyes: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical aid immediately.

Skin: In case of contact, flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical aid.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

Notes to Physician: Treat symptomatically and supportively.

Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. This material in sufficient quantity and reduced particle size is capable of creating a dust explosion.

Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or chemical foam.

Flash Point: Not applicable.

Autoignition Temperature: 1010 deg C (1,850.00 deg F)

Explosion Limits, Lower: Not available.

Upper: Not available.

NFPA Rating: (estimated) Health: 3; Flammability: 1; Instability: 0

Section 6 - Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Clean up spills immediately, observing precautions in the Protective Equipment section. Avoid generating dusty conditions. Provide ventilation. Spill may be carefully neutralized with lime (calcium oxide, CaO).

No.9, Rajaji Street, Ramakrishna Nagar,
Valasaravakkam, Chennai – 600 087.
Telephone: 044 24863868, Telefax: 044 24865956.
E.Mail: sk@envkem.com. www.envkem.com.

...think → innovate → execute



ENVKEM INDUSTRIAL SOLUTIONS

An ISO 9001:2008 Certified Company



Section 7 - Handling and Storage

Handling: Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Minimize dust generation and accumulation. Keep container tightly closed. Avoid ingestion and inhalation. Do not get in eyes. Avoid contact with skin and clothing.

Storage: Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Store protected from moisture.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

Exposure Limits

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
Citric acid	none listed	none listed	none listed

OSHA Vacated PELs: Citric acid: No OSHA Vacated PELs are listed for this chemical.

Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Always use a NIOSH or European Standard EN 149 approved respirator when necessary.

Section 9 - Physical and Chemical Properties

Physical State: Crystalline powder

Appearance: white

Odor: Odorless.

pH: 1.7 (10% soln)

Vapor Pressure: 3.70E-009 mm Hg @ 25 deg C

Vapor Density: Not available.

Evaporation Rate: Not available.

Viscosity: Not available.

Boiling Point: 175 deg C (dec)

Freezing/Melting Point: 153 deg C

Decomposition Temperature: 175 deg C

Solubility: 59.2% (20°C)

Specific Gravity/Density: 1.665 g/cm³

Molecular Formula: C₆H₈O₇

Molecular Weight: 192.12

No.9, Rajaji Street, Ramakrishna Nagar,

Valasaravakkam, Chennai – 600 087.

Telephone: 044 24863868, Telefax: 044 24865956.

E.Mail: sk@envkem.com. www.envkem.com.

...think → innovate → execute



ENVKEM INDUSTRIAL SOLUTIONS

An ISO 9001:2008 Certified Company



Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures.

Conditions to Avoid: Dust generation, moisture.

Incompatibilities with Other Materials: Metal nitrates, strong oxidizing agents, strong reducing agents, strong bases, metals.

Hazardous Decomposition Products: Carbon monoxide, irritating and toxic fumes and gases, carbon dioxide.

Hazardous Polymerization: Will not occur.

Section 11 - Toxicological Information

RTECS#:

CAS# 77-92-9: GE7350000

LD50/LC50:

CAS# 77-92-9:

Draize test, rabbit, eye: 750 ug/24H Severe;

Draize test, rabbit, skin: 500 mg/24H Mild;

Oral, mouse: LD50 = 5040 mg/kg;

Oral, rat: LD50 = 3 gm/kg; <br.

Carcinogenicity:

CAS# 77-92-9: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Epidemiology: No information available.

Teratogenicity: No information available.

Reproductive Effects: No information available.

Neurotoxicity: No information available.

Mutagenicity: No information available.

Other Studies: No data available. </br.

Section 12 - Ecological Information

No information available.

Section 13 - Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.

RCRA U-Series: None listed.

No.9, Rajaji Street, Ramakrishna Nagar,
Valasaravakkam, Chennai – 600 087.
Telephone: 044 24863868, Telefax: 044 24865956.
E.Mail:sk@envkem.com.www.envkem.com.

...think → innovate → execute



ENVKEM INDUSTRIAL SOLUTIONS

An ISO 9001:2008 Certified Company



Section 14 - Transport Information

	US DOT	Canada TDG
Shipping Name:	Not Regulated	Not Regulated
Hazard Class:		
UN Number:		
Packing Group:		

Section 15 - Regulatory Information

US FEDERAL

TSCA

CAS# 77-92-9 is listed on the TSCA inventory.

Health & Safety Reporting List

None of the chemicals are on the Health & Safety Reporting List.

Chemical Test Rules

None of the chemicals in this product are under a Chemical Test Rule.

Section 12b

None of the chemicals are listed under TSCA Section 12b.

TSCA Significant New Use Rule

None of the chemicals in this material have a SNUR under TSCA.

CERCLA Hazardous Substances and corresponding RQs

None of the chemicals in this material have an RQ.

SARA Section 302 Extremely Hazardous Substances

None of the chemicals in this product have a TPQ.

SARA Codes

CAS # 77-92-9: acute.

Section 313 No chemicals are reportable under Section 313.

Clean Air Act:

This material does not contain any hazardous air pollutants.

This material does not contain any Class 1 Ozone depleters.

This material does not contain any Class 2 Ozone depleters.

Clean Water Act:

None of the chemicals in this product are listed as Hazardous Substances under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

OSHA:

None of the chemicals in this product are considered highly hazardous by OSHA.

STATE

CAS# 77-92-9 is not present on state lists from CA, PA, MN, MA, FL, or NJ.

California Prop 65

California No Significant Risk Level: None of the chemicals in this product are listed.

No.9, Rajaji Street, Ramakrishna Nagar,
Valasaravakkam, Chennai – 600 087.
Telephone: 044 24863868, Telefax: 044 24865956.
E.Mail:sk@envkem.com.www.envkem.com.

...think → innovate → execute



ENVKEM INDUSTRIAL SOLUTIONS

An ISO 9001:2008 Certified Company



European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols:

XI

Risk Phrases:

R 36/37/38 Irritating to eyes, respiratory system and skin.

Safety Phrases:

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 37/39 Wear suitable gloves and eye/face protection.

WGK (Water Danger/Protection)

CAS# 77-92-9: 0

Canada - DSL/NDSL

CAS# 77-92-9 is listed on Canada's DSL List.

Canada - WHMIS

This product has a WHMIS classification of D2B.

Canadian Ingredient Disclosure List

CAS# 77-92-9 is listed on the Canadian Ingredient Disclosure List.

Section 16 - Additional Information

MSDS Creation Date: 2/09/2007

Revision #1 Date: MAY - 2014

Revision #2 Date: MARCH - 2015

No.9, Rajaji Street, Ramakrishna Nagar,
Valasaravakkam, Chennai – 600 087.
Telephone: 044 24863868, Telefax: 044 24865956.
E.Mail:sk@envkem.com.www.envkem.com.

...think → innovate → execute